

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS&R	L3	6	((("5912622") or ("6259369") or ("6278369") or ("6181279") or ("5995048") or ("5394159"))).PN.	US-PGPUB; USPAT	2005/08/18 08:13			
2	BRS	L4	2976	patch adj antenna\$1	US-PGPUB; USPAT	2005/08/18 08:20			
3	BRS	L5	9711	(rf rf\$1lid radio) near3 (tag\$1 marker\$1 transponder\$1)	US-PGPUB; USPAT	2005/08/18 08:49			
4	BRS	L6	369	5 same interrogat\$1	US-PGPUB; USPAT	2005/08/18 08:15			
5	BRS	L7	15	4 and 6	US-PGPUB; USPAT	2005/08/18 08:29			
6	BRS	L10	200350	(metal conductive) near2 (object\$1 surface\$1)	US-PGPUB; USPAT	2005/08/18 08:17			
7	BRS	L11	96	4 same 10	US-PGPUB; USPAT	2005/08/18 08:18			
8	BRS	L13	6	5 and 11	US-PGPUB; USPAT	2005/08/18 08:19			
9	BRS	L9	52	4 same 5	US-PGPUB; USPAT	2005/08/18 08:18			
10	IS&R	L14	9	((("5245745") or ("4853705") or ("4835377") or ("4821041") or ("4816839") or ("4786907") or ("4782345") or ("4739328") or ("4724443"))).PN.	US-PGPUB; USPAT	2005/08/18 08:20			
11	BRS	L15	15	3 14	US-PGPUB; USPAT	2005/08/18 08:26			
12	BRS	L20	75	4 near10 (tag\$1 marker\$1 transponder\$1).	US-PGPUB; USPAT	2005/08/18 08:50			
13	BRS	L21	18	10 and 20	US-PGPUB; USPAT	2005/08/18 09:20			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	44418	(conductive electrical circuit\$2) adj lead\$1	US-PGPUB; USPAT	2005/08/18 13:17			
2	BRS	L2	44784	(1 conductor\$1) near2 (bond\$2 fasten\$1 fastened fastening attach\$4 securing secured secures coupling coupled couples adhesive\$2)	US-PGPUB; USPAT	2005/08/18 13:17			
3	BRS	L3	418917	(metal\$3 conducti\$2) near2 (surface\$1 housing wall\$1 panel\$1 plate\$1 cover\$1 shell\$1)	US-PGPUB; USPAT	2005/08/18 13:18			
4	BRS	L4	13854	(1 conductor\$1) near10 3	US-PGPUB; USPAT	2005/08/18 12:51			
5	BRS	L5	729	2 near10 3	US-PGPUB; USPAT	2005/08/18 12:34			
6	BRS	L6	14744	(monitored protected valuable) near2 (object\$1 article\$1 asset\$1 equipment)	US-PGPUB; USPAT	2005/08/18 13:19			
7	BRS	L7	202	3 same 6	US-PGPUB; USPAT	2005/08/18 12:36			
8	BRS	L8	2	5 and 7	US-PGPUB; USPAT	2005/08/18 12:37			
9	IS&R	L9	8395	((340/572.1-572.9) or (235/492) or (342/51) or (343/700ms)).CCLS.	US-PGPUB; USPAT	2005/08/18 12:52			
10	BRS	L11	114	2 and 4 and 9	US-PGPUB; USPAT	2005/08/18 12:43			
11	BRS	L13	6	5 and 6	US-PGPUB; USPAT	2005/08/18 12:44			
12	BRS	L14	18	5 and 9	US-PGPUB; USPAT	2005/08/18 12:47			
13	BRS	L15	30300	(1 conductor\$1) same 3	US-PGPUB; USPAT	2005/08/18 12:51			
14	IS&R	L16	2663	(340/572.1-572.9).CCLS.	US-PGPUB; USPAT	2005/08/18 12:52			
15	BRS	L17	54	15 and 16	US-PGPUB; USPAT	2005/08/18 12:52			
16	BRS	L10	34	2 and 4 and 6	US-PGPUB; USPAT	2005/08/18 12:58			
17	BRS	L18	59	5 same antenna\$1	US-PGPUB; USPAT	2005/08/18 13:04			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
19	BRS	L24	8684	(conductive electrical circuit\$2) adj lead\$1	EPO; JPO; DERWENT; IBM_TDB	2005/08/18 13:17			
20	BRS	L25	14556	(24 conductor\$1) near2 (bond\$2 fasten\$1 fastened fastening attach\$4 securing secured secures coupling coupled couples adhesive\$2)	EPO; JPO; DERWENT; IBM_TDB	2005/08/18 13:17			
21	BRS	L26	331286	(metal\$3 conducti\$2) near2 (surface\$1 housing wall\$1 panel\$1 plate\$1 cover\$1 shell\$1)	EPO; JPO; DERWENT; IBM_TDB	2005/08/18 13:18			
22	BRS	L28	226	25 near10 26	EPO; JPO; DERWENT; IBM_TDB	2005/08/18 13:19			
23	BRS	L29	7242	(monitored protected valuable) near2 (object\$1 article\$1 asset\$1 equipment)	EPO; JPO; DERWENT; IBM_TDB	2005/08/18 13:19			
24	BRS	L30	0	28 and 29	EPO; JPO; DERWENT; IBM_TDB	2005/08/18 13:20			
25	BRS	L32	25	28 and (antenna\$1 aerial\$1)	EPO; JPO; DERWENT; IBM_TDB	2005/08/18 13:21			